


Wright Manufacturing, Inc.

Work Inst. Name: VK-ADPT-JD Installation	Work Inst.	Name:	VK-ADPT	-JD I	installatio
--	------------	-------	----------------	-------	-------------

Inst. Number: SVC-SWI-0027	Revision: 01	Issue Date: N/A
Author: Chris Sturtz		Date: 2/27/15
Reviewer: Chris Sturtz	Date: 2/27/15	
Approver: Chris Sturtz		Date: 2/27/15

Related Document: SVC-TSB-0071

(Must use 15" arm)



* Parts are included with Velke Pro 1 and X2's.

1	JD BACKING PLATE	Backing Plate
2	JDADAPTOR PLATE	Adaptor Plate
3*	VKHITCH2-2-BLK	Hitch (w/ Bushings & Grease Fittings) [Black]
4*	VHITCHBUSH	Bronze, Bushings For Hitch (2 Required)
5*	MEDAL64-12	Zerk, Press In
6	12990020	3/8" Nylock
7	11990114	3/8" x 3 ½" Hex
8	11990016	3/8" Carriage Bolts

- Center adaptor bracket for Velke on hydro tank tube, arrow up.
 Using four 3 1/4"x 3/8" bolts attach hitch plate to backing plate using lock nuts provided.
 Make sure measurement to center of hitch pin is 11 ½" from ground, if not remove hitch from hitch plate and turn over to achieve this height.



Revision Table

Name	Date	Reason for Changes	Version
Ed Wright	N/A	Initial Release	00
Chris Sturtz	2/27/15	Format Update	01