

FLAT PACK FIRE PIT

For Kit 95470008

Revised November 2022


FAILURE TO FOLLOW SAFE OPERATING PRACTICES MAY RESULT IN SERIOUS INJURY OR DEATH.

Read this manual and other manuals that came with your PURCHASE before operating. ©1998-2023 Wright Manufacturing, Inc. All rights reserved. This material may not be reproduced or copied, in whole or part, without written permission from Wright Manufacturing, Inc. Grass Gobbler, Gobbler, Leaf Gobbler, Velke, Pro 1, X2, Stander, and Sentar are trademarks of Wright Manufacturing.


1- Installation

1. Confirm the items below are provided:


ID	DESCRIPTION	QTY
1	5/16-18 X 1.25" Carriage Bolt	2
2	5/16-18 Plastic "T" Nut	2
3	Fire Pit Side, Slotted	3
4	Fire Pit Side, Hooked	3
5	Fire Pit Bottom, Hexagonal	1




- 3. Remove the "T" nuts and bolts to separate the fire pit components.
- 4. Find a flat, inflammable spot for your fire pit to rest and begin by assembling one hooked side to one slotted side.



5. Continue assembly of the sides, alternating between hooked and slotted, until you have completed the hexagon.



6. Place the fire pit bottom plate into the bottom of the hexagon to complete the fire pit.



A CAUTION

The owner/user can prevent and is responsible for accidents, injuries occurring to people, or damage to property.

Follow all local restrictions and regulations.

General information is provided with this kit for reference

2-Safety

- Many communities require a minimum of a 10-foot distance from your house and neighbors' yards
- Do not use on or near combustible surfaces, such as a wood or plastic deck.
- Do not use in enclosed spaces due to carbon monoxide and smoke inhalation risk.
- This product is intended as a wood burning firepit only. Do not use other combustible materials such as plastic or rubber.
- Firepit is not suitable for large fires. Wood and kindling should not be stacked higher than the rim of the fire pit.
- Fire pits should not be placed directly on concrete products as high heat can adversely affect the integrity of the product.
- Check wind direction before lighting a fire.
- Don't use flammable fluids (gasoline, lighter fluid, etc.) to light or relight fires.
- Don't wear flammable clothing (like nylon) or any loose-fitting clothing.
- Keep children and pets at least three feet away from the fire.
- Keep a fire extinguisher, garden hose or bucket of water nearby.
- Be careful not to touch the steel while it's hot. It can still retain heat long after the fire has been extinguished.